

| · | Neil | | rul | "\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | | of Med | licine NL | M | |
|---|---------------------------------|---|--------------------------------|--|--|------------------------------|----------------------|------------------|------------|
| Entrez | PubMed | Nucleotide | Protein | Genome | Structure | OMIM | PMC | Journals | 8 |
| Search | PubMed | for | TRK1 AND | TRK2 | | | Go C | lear | |
| About Entr | ez) | ☑ Limits Field: Title/Al | | ew/Index | History | Clip | board | Details | 5 |
| | | Display Sun | | Sho | w: 20 💌 So | rt 💌 | Send to | Text | A |
| Text Version | on ~ | | ems 1-20 o | | | Page | 1 | of 2 Next | ţ |
| Entrez Pu Overview | bMed | 1: Calero F. | Montiel V. | Caracuel Z, C | abello-Hurtado I | Ramos J. | Related | i Articles, Link | Œ |
| Help FAC Tutorial New/Notev E-Utilities | | different FEMS Y | nt ion stress east Res. 200 | 1 and Trk2 s conditions 04 Mar;4(6):6 bMed - in pro | 19-24. | haromyce | es pombe i | ınder | |
| PubMed S Journals D | | 2: Roberts | <u>SK.</u> | | | | Related | d Articles, Link | (E |
| Batch Cita Clinical Qu LinkOut | tion Matcher lion Matcher | | | | | | | onal | |
| Cubby Deleted P | Resources | 3: Bertl A. H. Caler | Ramos J, Lu o F, Martine | dwig J, Lichte z P, Ljungdahl | nberg-Frate H, F PO. | Reid J, Bihle | <u>x</u> Related | d Articles, Lini | ΚS |
| Order Doc NLM Gate TOXNET Consumer Clinical Ale | uments way Heaith erts | Characterization of potassium transport in wild-type and isogenic yeast strains carrying all combinations of trk1, trk2 and tok1 null mutations. Mol Microbiol. 2003 Feb;47(3):767-80. PMID: 12535075 [PubMed - indexed for MEDLINE] | | | | | | | |
| ClinicalTria PubMed C | | 4: Bihler H | , Slayman C | L, Bertl A. | | | Related | d Articles, Lini | Ks |
| Privacy Po | blicy | by NSO Biochim | C1, a calcit Biophys Ac | ım-blocked ta. 2002 Feb 1 | te by Sacchard non-specific (;1558(2):109-18 ed for MEDLIN | cation cha | erevisiae is nnel | s mediated | - |
| . ' | 25.20 | ☐ 5: Goossen | s A, de La F | uente N, Form | ent J. Serrano R | , Portillo F. | Relate | d Articles, Lin | Κŧ |
| | | dedicat | ed to activ | | Pase by protes sma membran | | | g to a family | ÿ |
| | | PMID: 1 | 1003661 [Pt | ıbMed - index | ed for MEDLIN | E] | | | |
| | | 6: Graves I | M. Tinker A | <u>1.</u> | | | Relate | d Articles, Lin | ks |
| | | potassi Biochen | um channe n Biophys Re | el in Sacchar es Commun. 2 | pore forming romyces cerev 000 Jun 7;272(2) red for MEDLIN | / isiae .):403-9. | f the ATP- | sensitive | |

PMID: 10629185 [PubMed - indexed for MEDLINE]

7: Calero F. Gomez N. Arino J. Ramos J.

J Bacteriol. 2000 Jan; 182(2):394-9.

Trk1 and Trk2 define the major K(+) transport system in fission yeast.

Related Articles, Links

| □ 8: № | fulet JM, Leube MP, Kron SJ, Rios G, Fink GR, Serrano R. | Related Articles, Links | | | |
|--------|--|--------------------------------|--|--|--|
| H F | A novel mechanism of ion homeostasis and salt tolerance in yeast: the Hal4 and Hal5 protein kinases modulate the Trk1-Trk2 potassium transporter. | | | | |
| N | fol Cell Biol. 1999 May;19(5):3328-37. MID: 10207057 [PubMed - indexed for MEDLINE] | | | | |
| □ 9: P | olley L.D. | Related Articles, Links | | | |
| in N | Genetic analysis of mutant clones of Chlamydomonas ren potassium transport. Mol Gen Genet. 1999 Mar;261(2):275-80. MID: 10102362 [PubMed - indexed for MEDLINE] | einhardtii defective | | | |
| □ 10: | Fairman C, Zhou X, Kung C. | Related Articles, Links | | | |
| 3333 | Potassium uptake through the TOK1 K+ channel in the J Membr Biol. 1999 Mar 15;168(2):149-57. PMID: 10089235 [PubMed - indexed for MEDLINE] | e budding yeast. | | | |
| □ 11: | Haro R, Sainz L, Rubio F, Rodriguez-Navarro A. | Related Articles, Links | | | |
| | Cloning of two genes encoding potassium transporters crassa and expression of the corresponding cDNAs in cerevisiae. Mol Microbiol. 1999 Jan;31(2):511-20. PMID: 10027968 [PubMed - indexed for MEDLINE] | in Neurospora Saccharomyces | | | |
| □ 12: | Lapathitis G. Kotyk A. | Related Articles, Links | | | |
| | Different sources of acidity in glucose-elicited extrace in the yeast Saccharomyces cerevisiae. Biochem Mol Biol Int. 1998 Dec;46(5):973-8. PMID: 9861451 [PubMed - indexed for MEDLINE] | llular acidification | | | |
| □ 13: | Madrid R. Jonez MJ, Ramos J, Rodriguez-Navarro A. | Related Articles, Links | | | |
| | Ectopic potassium uptake in trk1 trk2 mutants of Sacce cerevisiae correlates with a highly hyperpolarized mer J Biol Chem. 1998 Jun 12;273(24):14838-44. PMID: 9614085 [PubMed - indexed for MEDLINE] | haromyces mbrane potential. | | | |
| □ 14: | Lapathitis G, Kotyk A. | Related Articles, Links | | | |
| | Univalent cation fluxes in yeast. Biochem Mol Biol Int. 1998 Feb;44(2):371-80. PMID: 9530519 [PubMed - indexed for MEDLINE] | **** | | | |
| □ 15: | Liang H. Ko CH. Herman T. Gaber RF. | Related Articles, Links | | | |
| | Trinucleotide insertions, deletions, and point mutation transporters confer K+ uptake in Saccharomyces cere Mol Cell Biol. 1998 Feb;18(2):926-35. PMID: 9447989 [PubMed - indexed for MEDLINE] | ns in glucose visiae. | | | |
| □ 16: | Quintero FJ, Blatt MR. | Related Articles, Links | | | |
| | A new family of K+ transporters from Arabidopsis th across phyla. FEBS Lett. 1997 Sep 29;415(2):206-11. PMID: 9350997 [PubMed - indexed for MEDLINE] | at are conserved | | | |

| □ 17: | Wright MB, Ramos J, Gomez MJ, Moulder K, Scherrer M. Munson G, Gaber RF. | R | elated Artic | les, Links |
|--------|--|---------|--------------|-------------|
| | Potassium transport by amino acid permeases in Scerevisiae. J Biol Chem. 1997 May 23;272(21):13647-52. PMID: 9153214 [PubMed - indexed for MEDLINE] | acchar | omyces | |
| □ 18: | Lichtenberg-Frate H, Reid JD, Heyer M, Hofer M. | R | elated Artic | oles, Links |
| | The SpTRK gene encodes a potassium-specific tra Schizosaccharomyces pombe. J Membr Biol. 1996 Jul;152(2):169-81. PMID: 9139127 [PubMed - indexed for MEDLINE] | ansport | protein T | KHp in |
| □ 19: | Tang W, Ruknudin A, Yang WP, Shaw SY, Knickerbocker Kurtz S. | A. R | elated Artic | oles, Links |
| | Functional expression of a vertebrate inwardly recyeast. Mol Biol Cell. 1995 Sep;6(9):1231-40. PMID: 8534918 [PubMed - indexed for MEDLINE] | tifying | K+ chan | nel in |
| 20: | Soldatenkov VA, Velasco JA, Avila MA, Dritschilo A, Nota V. | ario R | elated Artic | oles, Links |
| | Isolation and characterization of SpTRK, a gene fi Schizosaccharomyces pombe predicted to encode protein. Gene. 1995 Aug 8;161(1):97-101. PMID: 7642145 [PubMed - indexed for MEDLINE] | | ransporte | r |
| Displa | Summary Show: 20 🗷 Sort | Sen | d to Tex | t 💌 |
| | Items 1-20 of 31 | 9e 1 | of | f 2 Next |
| | | | | |

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

b e

Apr 19 2004 06:53:45

h







of Medicine OMEM PMC Journals PobMed Nucleotide Structure B Search PubMed for TRK1 AND TRK2 Clear Go **E** Limits Details Preview/Index History Clipboard About Entrez Field: Title/Abstract Show: 20 Send to Display Summary Sort Text Text Version Page of 2 Items 21-31 of 31 Previous Entrez PubMed 21: Banuelos MA, Klein RD, Alexander-Bowman SJ, Rodriguez-Related Articles, Links Overview Navarro A Help | FAQ Tutorial A potassium transporter of the yeast Schwanniomyces occidentalis New/Noteworthy homologous to the Kup system of Escherichia coli has a high E-Utilities concentrative capacity. EMBO J. 1995 Jul 3;14(13):3021-7. **PubMed Services** PMID: 7621817 [PubMed - indexed for MEDLINE] Journals Database MeSH Database Single Citation Matcher 22: Bertl A, Anderson JA, Slayman CL, Gaber RF. Related Articles, Links **Batch Citation Matcher** Use of Saccharomyces cerevisiae for patch-clamp analysis of Clinical Queries LinkOut heterologous membrane proteins: characterization of Kat1, an inward-Cubby rectifying K+ channel from Arabidopsis thaliana, and comparison with endogeneous yeast channels and carriers. Related Resources Proc Natl Acad Sci U S A. 1995 Mar 28;92(7):2701-5. Order Documents PMID: 7708709 [PubMed - indexed for MEDLINE] **NLM Gateway** TOXNET 23: Perier F, Radeke CM, Raab-Graham KF, Vandenberg CA. Related Articles, Links Consumer Health Clinical Alerts Expression of a putative ATPase suppresses the growth defect of a yeast ClinicalTrials.gov potassium transport mutant: identification of a mammalian member of the PubMed Central Clp/HSP104 family. Privacy Policy Gene. 1995 Jan 23;152(2):157-63. PMID: 7835694 [PubMed - indexed for MEDLINE] 1 24: Takase K, Kakinuma S, Yamato I, Konishi K, Igarashi K, Related Articles, Links Sequencing and characterization of the ntp gene cluster for vacuolar-type Na(+)-translocating ATPase of Enterococcus hirae. J Biol Chem. 1994 Apr 15;269(15):11037-44. PMID: 8157629 [PubMed - indexed for MEDLINE] 25: Ramos J. Alijo R. Haro R. Rodriguez-Navarro A. Related Articles, Links TRK2 is not a low-affinity potassium transporter in Saccharomyces cerevisiae. J Bacteriol. 1994 Jan; 176(1):249-52. PMID: 8282703 [PubMed - indexed for MEDLINE] Related Articles, Links 26: Anderson JA, Nakamura RL, Gaber RF.

Heterologous expression of K+ channels in Saccharomyces cerevisiae: strategies for molecular analysis of structure and function. Symp Soc Exp Biol. 1994;48:85-97. PMID: 7597651 [PubMed - indexed for MEDLINE]

7: Ko CH, Liang H, Gaber RF. Roles of multiple glucose transporters in Saccharomyces cerevisiae. Mol Cell Biol. 1993 Jan; 13(1):638-48. PMID: 8417358 [PubMed - indexed for MEDLINE] 28: Vidal M. Gaber RF. RPD3 encodes a second factor required to achieve maximum positive and negative transcriptional states in Saccharomyces cerevisiae. Mol Cell Biol. 1991 Dec;11(12):6317-27. PMID: 1944291 [PubMed - indexed for MEDLINE] 729: Ko CH, Gaber RF.

Related Articles, Links

Related Articles, Links

Related Articles, Links

TRK1 and TRK2 encode structurally related K+ transporters in Saccharomyces cerevisiae.

Mol Cell Biol. 1991 Aug;11(8):4266-73. PMID: 2072919 [PubMed - indexed for MEDLINE]

30: Vidal M, Buckley AM, Hilger F, Gaber RF.

Related Articles, Links



Direct selection for mutants with increased K+ transport in Saccharomyces cerevisiae.

Genetics. 1990 Jun;125(2):313-20.

PMID: 2199313 [PubMed - indexed for MEDLINE]

31: Ko CH, Buckley AM, Gaber RF.

Related Articles, Links



TRK2 is required for low affinity K+ transport in Saccharomyces cerevisiae.

Genetics. 1990 Jun;125(2):305-12.

PMID: 2199312 [PubMed - indexed for MEDLINE]

Show: 20 Sort Send to Text of 2 Page Items 21-31 of 31 Previous

> Write to the Help Desk NCBI | NLM | NIH Department of Health & Human Services Freedom of Information Act | Disclaimer

> > Apr 19/2004/06:53:45


ge

cb





Preview/Index



PMC

Journals

Clear

Search PubMed

Nucleotide for TRK1 AND TOK1

Structure

History

Go Clipboard

CARIBA

Details

B

About Entrez

Text Version

Entrez PubMed Overview Help | FAQ Tutorial New/Noteworthy E-Utilities

PubMed Services Journals Database MeSH Database Single Citation Matcher **Batch Citation Matcher** Clinical Queries LinkOut Cubby

Related Resources Order Documents **NLM Gateway** TOXNET Consumer Health Clinical Alerts ClinicalTrials.gov PubMed Central

Privacy Policy

Field: Title/Abstract

Y Limits

Display Summary

Show: 20

Sort

Send to

One page.

Items 1-3 of 3

1: Bertl A, Ramos J, Ludwig J, Lichtenberg-Frate H, Reid J, Bihler Related Articles, Links H. Calero F. Martinez P. Ljungdahl PO.

Characterization of potassium transport in wild-type and isogenic yeast strains carrying all combinations of trk1, trk2 and tok1 null mutations. Mol Microbiol. 2003 Feb;47(3):767-80. PMID: 12535075 [PubMed - indexed for MEDLINE]

2: Fairman C, Zhou X, Kung C.

Related Articles, Links

Potassium uptake through the TOK1 K+ channel in the budding yeast. J Membr Biol. 1999 Mar 15,168(2):149-57.

PMID: 10089235 [PubMed - indexed for MEDLINE]

3: Rios G, Ferrando A, Serrano R.

Related Articles, Links

Mechanisms of salt tolerance conferred by overexpression of the HAL1 gene in Saccharomyces cerevisiae.

Yeast. 1997 May;13(6):515-28.

PMID: 9178503 [PubMed - indexed for MEDLINE]

Write to the Help Desk NCBI | NLM | NIH
Department of Health & Human Services Freedom of Information Act | Disclaimer







of Medicine Nucleotide Protein Genome Structure CMIN PMC dournals B Search PubMed for TRK2 AND TOK1 Go Clear **M** Limits Preview/Index History Clipboard Details About Entrez Field: Title/Abstract Sort Show: 20 Send to Display Summary Text Version Items 1-2 of 2 One page. 1: Bertl A, Ramos J, Ludwig J, Lichtenberg-Frate H, Reid J, Bihler Entrez PubMed Related Articles, Links H, Calero F, Martinez P. Ljungdahl PO. Overview Help | FAQ Characterization of potassium transport in wild-type and isogenic yeast Tutorial strains carrying all combinations of trk1, trk2 and tok1 null mutations. New/Noteworthy E-Utilities Mol Microbiol. 2003 Feb; 47(3):767-80. PMID: 12535075 [PubMed - indexed for MEDLINE] **PubMed Services** 2. Fairman C, Zhou X, Kung C. Related Articles, Links Journals Database MeSH Database Potassium uptake through the TOK1 K+ channel in the budding yeast. Single Citation Metcher J Membr Biol. 1999 Mar 15;168(2):149-57. **Batch Citation Matcher** PMID: 10089235 [PubMed - indexed for MEDLINE] Clinical Queries LinkOut

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

Apr 19 2004 06:53:45

cb

h g

Cubby

Related Resources Order Documents NLM Gateway TOXNET

Consumer Health Clinical Alerts ClinicalTrials.gov PubMed Central

Privacy Policy

NLM Gateway TOXNET Consumer Health Clinical Alerts ClinicalTrials.gov PubMed Central

Privacy Policy








of Medicine PMC Structure dournals PubMed Nucleotide Protein Entrez Search PubMed for TRK2 AND TOK1 AND TRK1 Go Clear Details P Limits Preview/Index History Clipboard About Entrez Field: Title/Abstract Show: 20 Sort Send to Text Display Summary Text Version One page. Items 1-2 of 2 1: Bertl A, Ramos J, Ludwig J, Lichtenberg-Frate H, Reid J, Bihler Entrez PubMed Related Articles, Links H, Calero F, Martinez P, Ljungdahl PO. Overview Help | FAQ Characterization of potassium transport in wild-type and isogenic yeast Tutoria strains carrying all combinations of trk1, trk2 and tok1 null mutations. New/Noteworthy Mol Microbiol. 2003 Feb;47(3):767-80. E-Utilities PMID: 12535075 [PubMed - indexed for MEDLINE] PubMed Services 2: Fairman C. Zhou X, Kung C. Related Articles, Links Journals Database MeSH Database Potassium uptake through the TOK1 K+ channel in the budding yeast. Single Citation Matcher J Membr Biol. 1999 Mar 15;168(2):149-57. Batch Citation Matcher PMID: 10089235 [PubMed - indexed for MEDLINE] Clinical Queries LinkOut Cubby Related Resources Order Documents

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer


Apr 19/2004 06:53:45

e ch



Privacy Policy





PMC Structure Journals Be Clear for Leberer E Go Preview/Index History Clipboard Details Summary Show: |20 Sort Send to Text Page of 3 Next Items 1-20 of 59 1: Ushinsky SC, Harcus D, Ash J, Dignard D, Marcil A. Related Articles, Links Morchhauser J, Thomas DY, Whiteway M, Leberer E. CDC42 is required for polarized growth in human pathogen Candida Eukaryot Cell. 2002 Feb;1(1):95-104. PMID: 12455975 [PubMed - indexed for MEDLINE] 2: Oberholzer U. Marcil A, Leberer E, Thomas DY, Whiteway M. Related Articles, Links Myosin I is required for hypha formation in Candida albicans. Eukaryot Cell. 2002 Apr;1(2):213-28. PMID: 12455956 [PubMed - indexed for MEDLINE] 1 3: Michel S, Ushinsky S, Klebl B, Leberer E, Thomas D, Whiteway Related Articles, Links M. Morschhauser J. Generation of conditional lethal Candida albicans mutants by inducible deletion of essential genes. Mol Microbiol. 2002 Oct;46(1):269-80. PMID: 12366849 [PubMed - indexed for MEDLINE] Related Articles, Links 4: Jansen G, Leberer E, Thomas DY, Whiteway M. Use of dominant negative mutations in analysis of G protein function in Saccharomyces cerevisiae. Methods Enzymol. 2002;344:82-91. No abstract available. PMID: 11771425 [PubMed - indexed for MEDLINE] 5: Leberer E. Harcus D. Dignard D. Johnson L. Ushinsky S. Thomas Related Articles, Links DY, Schroppel K. Ras links cellular morphogenesis to virulence by regulation of the MAP kinase and cAMP signalling pathways in the pathogenic fungus Candida albicans. Mol Microbiol. 2001 Nov;42(3):673-87. PMID: 11722734 [PubMed - indexed for MEDLINE] 6: Rocha CR, Schroppel K, Harcus D, Marcil A, Dignard D. Taylor Related Articles, Links BN, Thomas DY, Whiteway M, Leberer E Signaling through adenylyl cyclase is essential for hyphal growth and virulence in the pathogenic fungus Candida albicans. Mol Biol Cell. 2001 Nov; 12(11):3631-43. PMID: 11694594 [PubMed - indexed for MEDLINE] Related Articles, Links 7: Klebl B, Kozian D, Leberer E, Kukuruzinska MA.

A comprehensive analysis of gene expression profiles in a yeast N-

h e

ch

hσ

e e

fcΩ

e

e ch

b e

glycosylation mutant. Biochem Biophys Res Commun. 2001 Aug 31,286(4):714-20. PMID: 11520056 [PubMed - indexed for MEDLINE] 8: Song J. Chen Z., Xu P. Gingras R. Ng A. Leberer E. Thomas DY. Related Articles, Links Ni F. Molecular interactions of the Gbeta binding domain of the Ste20p/PAK family of protein kinases. An isolated but fully functional Gbeta binding domain from Ste20p is only partially folded as shown by heteronuclear NMR spectroscopy. J Biol Chem. 2001 Nov 2;276(44):41205-12. Epub 2001 Aug 16. PMID: 11509560 [PubMed - indexed for MEDLINE] 9: Schroppel K, Kryk M, Herrmann M, Leberer E, Rollinghoff M, Related Articles, Links Bogdan C. Suppression of type 2 NO-synthase activity in macrophages by Candida albicans. Int J Med Microbiol. 2001 Mar;290(8):659-68. PMID: 11310444 [PubMed - indexed for MEDLINE] 10: Kim J, Bortz E, Zhong H, Leeuw T, Leberer E, Vershon AK, Related Articles, Links Hirsch JP. Localization and signaling of G(beta) subunit Ste4p are controlled by afactor receptor and the a-specific protein Asg7p. Mol Cell Biol. 2000 Dec;20(23):8826-35. PMID: 11073983 [PubMed - indexed for MEDLINE] 11: Leberer E, Dignard D, Thomas DY, Leeuw T. Related Articles, Links A conserved Gbeta binding (GBB) sequence motif in Ste20p/PAK family protein kinases. Biol Chem. 2000 May-Jun;381(5-6):427-31. Review. PMID: 10937873 [PubMed - indexed for MEDLINE] 12: Raymond M, Dignard D, Alarco AM, Clark KL, Weber S, Related Articles, Links Whiteway M, Leberer E, Thomas DY. Molecular cloning of the CRM1 gene from Candida albicans. Yeast. 2000 Apr;16(6):531-8. PMID: 10790690 [PubMed - indexed for MEDLINE] 13: Evangelista M, Klebl BM, Tong AH, Webb BA, Leeuw T, Related Articles, Links Leberer E, Whiteway M, Thomas DY, Boone C. A role for myosin-I in actin assembly through interactions with Vrplp, Bee1p, and the Arp2/3 complex. J Cell Biol. 2000 Jan 24;148(2):353-62. PMID: 10648568 [PubMed - indexed for MEDLINE] Related Articles, Links 14: Wu C, Leberer E, Thomas DY, Whiteway M. Functional characterization of the interaction of Ste50p with Stellp MAPKKK in Saccharomyces cerevisiae. Mol Biol Cell. 1999 Jul;10(7):2425-40. PMID: 10397774 [PubMed - indexed for MEDLINE] Related Articles, Links 15: Wu C, Leeuw T, Leberer E. Thomas DY, Whiteway M. Cell cycle- and Cln2p-Cdc28p-dependent phosphorylation of the yeast Ste20p protein kinase. J Biol Chem. 1998 Oct 23;273(43):28107-15.

PMID: 9774429 [PubMed - indexed for MEDLINE] 16: Sells MA, Barratt JT, Caviston J, Ottilie S, Leberer E, Chernoff Related Articles, Links Characterization of Pak2p, a pleckstrin homology domain-containing, p21-activated protein kinase from fission yeast. J Biol Chem. 1998 Jul 17;273(29):18490-8. PMID: 9660818 [PubMed - indexed for MEDLINE] 17: Csank C, Schroppel K, Leberer E, Harcus D, Mohamed O, Related Articles, Links Meloche S, Thomas DY, Whiteway M Roles of the Candida albicans mitogen-activated protein kinase homolog, Cek1p, in hyphal development and systemic candidiasis. Infect Immun. 1998 Jun;66(6):2713-21. PMID: 9596738 [PubMed - indexed for MEDLINE] 18: Leeuw T, Wu C, Schrag JD, Whiteway M, Thomas DY, Leberer Related Articles, Links <u>E.</u> Interaction of a G-protein beta-subunit with a conserved sequence in Ste20/PAK family protein kinases. Nature. 1998 Jan 8;391(6663):191-5. PMID: 9428767 [PubMed - indexed for MEDLINE] 19: Wu C, Lytvyn V, Thomas DY, Leberer E. Related Articles, Links The phosphorylation site for Ste20p-like protein kinases is essential for the function of myosin-I in yeast. J Biol Chem. 1997 Dec 5;272(49):30623-6. PMID: 9388196 [PubMed - indexed for MEDLINE] 20: Leberer E. Ziegelbauer K. Schmidt A. Harcus D. Dignard D. Ash Related Articles, Links J. Johnson L. Thomas DY Virulence and hyphal formation of Candida albicans require the Ste20p-# like protein kinase CaCla4p. Curr Biol. 1997 Aug 1;7(8):539-46. PMID: 9259554 [PubMed - indexed for MEDLINE] Display Summary Show: |20 Send to Text Page Items 1-20 of 59 of 3 Next

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer







of Medicine Nucleotide Structure OMIM PMO Br Journals Search PubMed for Leberer E Go Clear **D** Limits Preview/Index History Clipboard Details About Entrez Field: Author Show: 20 Summary Sort Display Send to Text Text Version Page Items 21-40 of 59 of 3 Next Previous Entrez PubMed 21: Leberer E, Thomas DY, Whiteway M. Overview Related Articles, Links Help | FAQ Pheromone signalling and polarized morphogenesis in yeast. Tutorial Curr Opin Genet Dev. 1997 Feb;7(1):59-66. Review. New/Noteworthy PMID: 9024634 [PubMed - indexed for MEDLINE] E-Utilities 12: Leberer E, Wu C, Leeuw T, Fourest-Lieuvin A, Segall JE, Related Articles, Links **PubMed Services** Thomas DY. Journals Database MeSH Database Functional characterization of the Cdc42p binding domain of yeast Single Citation Matcher Ste20p protein kinase. **Batch Citation Matcher** EMBO J. 1997 Jan 2;16(1):83-97. Clinical Queries PMID: 9009270 [PubMed - indexed for MEDLINE] LinkOut Cubby 1 23: Wu C. Lee SF, Furmaniak-Kazmierczak E, Cote GP, Thomas Related Articles, Links DY, Leberer E. Related Resources Activation of myosin-I by members of the Ste20p protein kinase family. Order Documents **NLM Gateway** J Biol Chem. 1996 Dec 13;271(50):31787-90. TOXNET PMID: 8943216 [PubMed - indexed for MEDLINE] Consumer Health 1 24: Leberer E, Harcus D, Broadbent ID, Clark KL, Dignard D, Clinical Alerts Related Articles, Links ClinicalTrials.gov Ziegelbauer K, Schmidt A, Gow NA, Brown AJ, Thomas DY PubMed Central Signal transduction through homologs of the Ste20p and Ste7p protein kinases can trigger hyphal formation in the pathogenic fungus Candida Privacy Policy albicans. Proc Natl Acad Sci U S A. 1996 Nov 12;93(23):13217-22. PMID: 8917571 [PubMed - indexed for MEDLINE] 25: Leberer E, Chenevert J, Leeuw T, Harcus D, Herskowitz I, Related Articles, Links Thomas DY Genetic interactions indicate a role for Mdg1p and the SH3 domain protein Bem 1p in linking the G-protein mediated yeast pheromone signalling pathway to regulators of cell polarity. Mol Gen Genet. 1996 Oct 16;252(5):608-21. PMID: 8914522 [PubMed - indexed for MEDLINE] 26: Leeuw T, Fourest-Lieuvin A, Wu C, Chenevert J, Clark K, Related Articles, Links Whiteway M. Thomas DY, Leberer E. Pheromone response in yeast: association of Bem1p with proteins of the # MAP kinase cascade and actin. Science. 1995 Nov 17;270(5239):1210-3. PMID: 7502048 [PubMed - indexed for MEDLINE]

Thomas DY, Leberer E.

27: Whiteway MS, Wu C, Leeuw T, Clark K, Fourest-Lieuvin A,

Related Articles, Links

Association of the yeast pheromone response G protein beta gamma subunits with the MAP kinase scaffold Ste5p. Science. 1995 Sep 15;269(5230):1572-5. PMID: 7667635 [PubMed - indexed for MEDLINE] 28: Wu C, Whiteway M, Thomas DY, Leberer E. Related Articles, Links Molecular characterization of Ste20p, a potential mitogen-activated protein or extracellular signal-regulated kinase kinase (MEK) kinase kinase from Saccharomyces cerevisiae. J Biol Chem. 1995 Jul 7;270(27):15984-92. PMID: 7608157 [PubMed - indexed for MEDLINE] Related Articles, Links 29: Leberer E. Dignard D. Harcus D. Whiteway M. Thomas DY. Molecular characterization of SIG1, a Saccharomyces cerevisiae gene involved in negative regulation of G-protein-mediated signal transduction. EMBO J. 1994 Jul 1;13(13):3050-64. PMID: 8039500 [PubMed - indexed for MEDLINE] 130: Whiteway M, Clark KL, Leberer E, Dignard D, Thomas DY. Related Articles, Links Genetic identification of residues involved in association of alpha and beta G-protein subunits. Mol Cell Biol. 1994 May;14(5):3223-9. PMID: 8164677 [PubMed - indexed for MEDLINE] Related Articles, Links 31: Leberer E, Reichmann H. Immunochemical quantification of sarcoplasmic reticulum Ca(2+)-ATPase and calsequestrin in muscle biopsies from patients with myotonia congenita and paramyotonia congenita Eulenburg. J Neural Transm Gen Sect. 1994;95(1):29-38. PMID: 7857584 [PubMed - indexed for MEDLINE] 132: Leberer E, Dignard D, Harcus D, Hougan L, Whiteway M. Related Articles, Links Thomas DY. Cloning of Saccharomyces cerevisiae STE5 as a suppressor of a Ste20 protein kinase mutant: structural and functional similarity of Ste5 to Far1. Mol Gen Genet. 1993 Nov;241(3-4):241-54. PMID: 8246877 [PubMed - indexed for MEDLINE] 33: Heilmann C, Spamer C, Leberer E, Gerok W, Michalak M. Related Articles, Links Human liver calreticulin: characterization and Zn(2+)-dependent interaction with phenyl-sepharose. Biochem Biophys Res Commun. 1993 Jun 15;193(2):611-6. PMID: 8512561 [PubMed - indexed for MEDLINE] Related Articles, Links 34: Wildman DE, Tamir H, Leberer E, Northup JK, Dennis M. Prenyl modification of guanine nucleotide regulatory protein gamma 2 subunits is not required for interaction with the transducin alpha subunit or rhodopsin. Proc Natl Acad Sci U S A. 1993 Feb 1;90(3):794-8. PMID: 8430087 [PubMed - indexed for MEDLINE] Related Articles, Links 35: Leberer E, Dignard D, Harcus D, Thomas DY, Whiteway M. The protein kinase homologue Ste20p is required to link the yeast

b e

ge.

e fcg

hg

cb


е

| | pheromone response G-protein beta gamm signalling components. EMBO J. 1992 Dec; 11(13):4815-24. PMID: 1464311 [PubMed - indexed for MEDLINI | | downstrea | ım | |
|--------|--|--------------------|---------------|---------|----------|
| □ 36: | Leberer E, Dignard D, Hougan L, Thomas DY, W | hiteway M. | Related Artic | oles, l | Links |
| | Dominant-negative mutants of a yeast G-p functional regions involved in pheromone EMBO J. 1992 Dec;11(13):4805-13. PMID: 1464310 [PubMed - indexed for MEDLIN. | signalling. | ıbunit iden | tify t | two |
| □ 37: | Leberer E. Timms BG, Campbell KP, MacLennan | DH. | Related Arti | oles, l | Links |
| | Purification, calcium binding properties, a of the 53,000- and 160,000 (sarcalumenin sarcoplasmic reticulum. J Biol Chem. 1990 Jun 15;265(17):10118-24. PMID: 2112542 [PubMed - indexed for MEDLIN |)-dalton glyco | | | |
| □ 38: | Andersen JP, Vilsen B, Leberer E, MacLennan DI | <u>1.</u> | Related Arti | cles, l | Links |
| | Functional consequences of mutations in (+)-ATPase of sarcoplasmic reticulum. J Biol Chem. 1989 Dec 15;264(35):21018-23. PMID: 2531742 [PubMed - indexed for MEDLIN | | d sector of | `the (| Ca2 |
| □ 39: | Leberer E., Hartner KT, Brandl CJ, Fujii J, Tada MDH, Pette D. | 1, MacLennan | Related Arti | cles, i | Links |
| | Slow/cardiac sarcoplasmic reticulum Ca2mRNAs are expressed in chronically stim Eur J Biochem. 1989 Oct 20;185(1):51-4. PMID: 2530087 [PubMed - indexed for MEDLIN | ulated rabbit | | | |
| □ 40: | Leberer E, Charuk JH, Green NM, MacLennan Dl | <u>H.</u> | Related Arti | cles, | Links |
| | Molecular cloning and expression of cDN binding glycoprotein from sarcoplasmic r Proc Natl Acad Sci U S A. 1989 Aug;86(16):6047 PMID: 2762314 [PubMed - indexed for MEDLIN | eticulum. 7-51. | lumenal c | alciu | ım |
| Displa | y Summary 💌 Show: 20 💌 So | | end to Te | xt | 1 |
| | Items 21-40 of 59 Prev | ious Page | 2 (| of 3 | Next |

Write to the Help Desk
NCBI | NLM | NiH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

øе

ch



chronically stimulated rabbit fast-twitch muscle.

Relationship between parvalbumin content and the speed of relaxation in

cb

hg

e e

h

Pflugers Arch. 1988 Feb;411(2):126-31. PMID: 3357751 [PubMed - indexed for MEDLINE] Related Articles, Links 48. Maier A, Leberer E, Pette D. Distribution of sarcoplasmic reticulum Ca-ATPase and of calsequestrin at the polar regions of rat, rabbit and cat intrafusal fibers. Histochemistry. 1988;88(3-6):273-6. PMID: 2966786 [PubMed - indexed for MEDLINE] Related Articles, Links 49: Leberer E, Hartner KT, Pette D. Reversible inhibition of sarcoplasmic reticulum Ca-ATPase by altered neuromuscular activity in rabbit fast-twitch muscle. Eur J Biochem. 1987 Feb 2;162(3):555-61. PMID: 2951251 [PubMed - indexed for MEDLINE] 50: Leberer E, Klug GA, Seedorf U, Pette D. Related Articles, Links Regulation of parvalbumin concentration in mammalian muscle. Methods Enzymol. 1987;139:763-76. No abstract available. PMID: 3587046 [PubMed - indexed for MEDLINE] 51: Fuchtbauer A. Jockusch BM, Leberer E, Pette D. Related Articles, Links Actin-severing activity copurifies with phosphofructokinase. Proc Natl Acad Sci U S A. 1986 Dec;83(24):9502-6. PMID: 3025844 [PubMed - indexed for MEDLINE] 52: Leberer E, Seedorf U, Pette D. Related Articles, Links Neural control of gene expression in skeletal muscle. Calciumsequestering proteins in developing and chronically stimulated rabbit skeletal muscles. Biochem J. 1986 Oct 15;239(2):295-300. PMID: 2880579 [PubMed - indexed for MEDLINE] Related Articles, Links 53: Seedorf U. Leberer E. Kirschbaum BJ. Pette D. Neural control of gene expression in skeletal muscle. Effects of chronic stimulation on lactate dehydrogenase isoenzymes and citrate synthase. Biochem J. 1986 Oct 1;239(1):115-20. PMID: 2432887 [PubMed - indexed for MEDLINE] 54: Leberer E, Pette D. Related Articles, Links Immunochemical quantification of sarcoplasmic reticulum Ca-ATPase, of calsequestrin and of parvalbumin in rabbit skeletal muscles of defined fiber composition. Eur J Biochem. 1986 May 2;156(3):489-96. PMID: 2938950 [PubMed - indexed for MEDLINE] Related Articles, Links 55: Leberer E, Pette D. Neural regulation of parvalbumin expression in mammalian skeletal muscle. Biochem J. 1986 Apr 1,235(1):67-73. PMID: 3741391 [PubMed - indexed for MEDLINE] Related Articles, Links 56: Maier A, Leberer E, Pette D. Distribution of sarcoplasmic reticulum Ca-ATPase and of calsequestrin in rabbit and rat skeletal muscle fibers.

h e

ge

fcg

е

Histochemistry. 1986;86(1):63-9. PMID: 2947881 [PubMed - indexed for MEDLINE] 57: Hudlicka O, Aitman T, Heilig A, Leberer E, Tyler KR, Pette D. Related Articles, Links Effects of different patterns of long-term stimulation on blood flow, fuel uptake and enzyme activities in rabbit fast skeletal muscles. Pflugers Arch. 1984 Nov;402(3):306-11. PMID: 6522241 [PubMed - indexed for MEDLINE] 58: Leberer E, Pette D. Related Articles, Links Lactate dehydrogenase isozymes in type I, IIA and IIB fibres of rabbit skeletal muscles. Histochemistry. 1984;80(3):295-8. PMID: 6725013 [PubMed - indexed for MEDLINE] 59: Klug G. Wiehrer W. Reichmann H. Leberer E. Pette D. Related Articles, Links Relationships between early alterations in parvalbumins, sarcoplasmic reticulum and metabolic enzymes in chronically stimulated fast twitch Pflugers Arch. 1983 Dec;399(4):280-4. PMID: 6229711 [PubMed - indexed for MEDLINE] Show: 20 Sort Display Send to Text Page | of 3 Items 41-59 of 59 Previous

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

Related Articles, Links







of Medicine PMC PubMed Nucleotide Protein Structure Journals B Entrez Search PubMed Ga Clear for Leeuw T ☑ Limits Preview/Index History Clipboard Details About Entrez Field: Author Show: 20 Display Summary Sort Send to Text Text Version Items 1-16 of 16 One page. 1: Kim J, Bortz E, Zhong H, Leeuw T, Leberer E, Vershon AK, Entrez PubMed Related Articles, Links Overview Hirsch JP. Help | FAQ Localization and signaling of G(beta) subunit Ste4p are controlled by a-Yutorial factor receptor and the a-specific protein Asg7p. New/Noteworthy E-Utilities Mol Cell Biol. 2000 Dec;20(23):8826-35. PMID: 11073983 [PubMed - indexed for MEDLINE] PubMed Services 2: Leberer E, Dignard D, Thomas DY, Leeuw T. Related Articles, Links Journals Database MeSH Database A conserved Gbeta binding (GBB) sequence motif in Ste20p/PAK family Single Citation Metcher protein kinases. Batch Citation Matcher Clinical Queries Biol Chem. 2000 May-Jun;381(5-6):427-31. Review. LinkOut PMID: 10937873 [PubMed - indexed for MEDLINE] Cubby 3: Evangelista M, Klebl BM, Tong AH, Webb BA, Leeuw T, Leberer Related Articles, Links E. Whiteway M. Thomas DY, Boone C. Related Resources Order Documents A role for myosin-I in actin assembly through interactions with Vrplp, **NLM Gateway** Bee1p, and the Arp2/3 complex. TOXNET J Cell Biol. 2000 Jan 24;148(2):353-62. Consumer Health **Clinical Alerts** PMID: 10648568 [PubMed - indexed for MEDLINE] ClinicalTrials.gov PubMed Central 4: Wu C, Leeuw T, Leberer E, Thomas DY, Whiteway M. Related Articles, Links Cell cycle- and Cln2p-Cdc28p-dependent phosphorylation of the yeast Privacy Policy Ste20p protein kinase. J Biol Chem. 1998 Oct 23;273(43):28107-15. PMID: 9774429 [PubMed - indexed for MEDLINE] 5: Leeuw T, Wu C, Schrag JD, Whiteway M, Thomas DY, Leberer Related Articles, Links Interaction of a G-protein beta-subunit with a conserved sequence in Ste20/PAK family protein kinases. Nature. 1998 Jan 8;391(6663):191-5. PMID: 9428767 [PubMed - indexed for MEDLINE] 6: Leberer E, Wu C. Leeuw T, Fourest-Lieuvin A, Segall JE, Thomas Related Articles, Links DYFunctional characterization of the Cdc42p binding domain of yeast Ste20p protein kinase. EMBO J. 1997 Jan 2;16(1):83-97. PMID: 9009270 [PubMed - indexed for MEDLINE]

7: Leberer E. Chenevert J, Leeuw T, Harcus D, Herskowitz I,

Genetic interactions indicate a role for Mdg1p and the SH3 domain protein

h е

Thomas DY.

cb

h g

e fcg

| | Bem1p in linking the G-protein mediated yeast pherom pathway to regulators of cell polarity. Mol Gen Genet. 1996 Oct 16;252(5):608-21. PMID: 8914522 [PubMed - indexed for MEDLINE] | one signalling |
|------------|--|-------------------------------------|
| □ 8: | Leeuw T, Pette D. | Related Articles, Links |
| | Coordinate changes of myosin light and heavy chain is forced fiber type transitions in rabbit muscle. Dev Genet. 1996;19(2):163-8. PMID: 8900049 [PubMed - indexed for MEDLINE] | oforms during |
| € 9: | Leeuw T, Fourest-Lieuvin A, Wu C, Chenevert J, Clark K, Whiteway M, Thomas DY, Leberer E. | Related Articles, Links |
| | Pheromone response in yeast: association of Bem1p wi MAP kinase cascade and actin. Science. 1995 Nov 17;270(5239):1210-3. PMID: 7502048 [PubMed - indexed for MEDLINE] | th proteins of the |
| □ 10 | 9: Whiteway MS, Wu C, Leeuw T, Clark K, Fourest-Lieuvin A. Thomas DY, Leberer E. | Related Articles, Links |
| | Association of the yeast pheromone response G protes subunits with the MAP kinase scaffold Ste5p. Science. 1995 Sep 15;269(5230):1572-5. PMID: 7667635 [PubMed - indexed for MEDLINE] | n beta gamma |
| | 1: <u>Driessen CA, Janssen BP, Winkens HJ, van Vugt AH, de Leeuw TL, Janssen JJ</u> | Related Articles, Links |
| | Cloning and expression of a cDNA encoding bovine repithelial 11-cis retinol dehydrogenase. Invest Ophthalmol Vis Sci. 1995 Sep;36(10):1988-96. PMID: 7544779 [PubMed - indexed for MEDLINE] | etinal pigment |
| 1 1: | 2: de Leeuw TG, Verbeek PC, Rauws EA, Gouma DJ. | Related Articles, Links |
| | A double or bilobar gallbladder as a cause of severe c (laparoscopic) cholecystectomy. Surg Endosc. 1995 Sep;9(9):998-1000. PMID: 7482221 [PubMed - indexed for MEDLINE] | omplications after |
| 1 1 | 3: Leeuw T, Pette D. | Related Articles, Links |
| | Kinetic microphotometric evaluation of in situ hybrid of slow myosin heavy chain in type I and C fibres of Histochemistry. 1994 Aug;102(2):105-12. PMID: 7822212 [PubMed - indexed for MEDLINE] | ization for mRNA rabbit muscle. |
| 1 1 | 4: Leeuw T, Kapp M, Pette D. | Related Articles, Links |
| | Role of innervation for development and maintenance isoform patterns in fast- and slow-twitch muscles of t Differentiation. 1994 Feb;55(3):193-201. PMID: 8187981 [PubMed - indexed for MEDLINE] | e of troponin subunit he rabbit. |
| \Box 1 | 5: Leeuw T. Pette D. | Related Articles, Links |
| | Coordinate changes in the expression of troponin sub heavy-chain isoforms during fast-to-slow transition o stimulated rabbit muscle. Eur J Biochem. 1993 May 1;213(3):1039-46. | unit and myosin f low-frequency- |

b e

e ch

PMID: 8504800 [PubMed - indexed for MEDLINE]

16: Huvgen PL, Klaassen AB, de Leeuw TJ, Wentges RT.

Related Articles, Links

Rhinomanometric detection rate of rhinoscopically-assessed septal deviations.

Rhinology. 1992 Sep;30(3):177-81.

PMID: 1448674 [PubMed - indexed for MEDLINE]

Display Summary

Show: 20 * Sort

Sort

Send to Text

^·

Items 1-16 of 16

One page.

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer